#### STAINO & STAINO

Doors & Furnishing's systems





The 'Collection Sliding Doors' catalogue is dedicated to our sliding system proposals. The product range is divided into the Easy-S, Extra Light, Master, Segreta and Glass collections. The completeness of the range and the exclusivity of the customizations available are the result of decades of work, design, production and constant commitment to refining our products.

To guarantee the best possible quality, we carry out the entire production cycle within our factory: production, assembly and quality control. For some specific components, we collaborate with other leading companies in the relevant sector, exclusively Italian, controlled and selected with the highest quality standards.

All STAINO&STAINO products are truly Made in Italy.

**INDEX** 




















Master Collection 50

Portfolio our customers's photos 56



Dedicated handles
our customers's photos




Glass Collection	58
Portfolio	64
our customers's photos	

MAGIC OPENING SYSTEM	90
DATA SHEET opening typologies	94
DATA SHEET doors	96

FINISHINGS & DECORATIONS









#### **SLIDING EASY-S**

with built-in guides or guide with valance

The Easy-S door is **tailor-made to the millimetre**, both in height and width.

The customer can choose from a wide range of finishes for both the profile and the glass. The sliding tracks can be classic or recessed (as in the photo).

It is possible to communicate with our technicians to evaluate all design opportunities and create the solution that best suits the customer's needs.





Built-in guide recordable

Guides with valance











## LAMINATED GLASS

milky white




Particularly simple to clean, it has both shiny sides, as the opal surface remains inside the two sheets joined by the stratification process which guarantees maximum safety.



Guides with valance





## SMOKED REFLECTIVE GLASS

the level of transparency varies in relation to the light present





#### LEVEL OF TRANSPARENCY

The level of transparency of the reflective glass varies based on the difference in light in the rooms that the door divides.





10x10 mm profile added to the door

#### DOOR SLAM POST


optional

In the photo, the Easy-S sliding door with transparent glass and profile in PA13 sanded iron gray finish.

The **optional wall-mounted jambs** provide a better seal between the door and the brickwork even in the presence of skirting boards.







### FIXED&OPENABLE SYSTEM


#### and telescopic brush

The Easy-S sliding door can be combined with Easy-S fixed doors.

The creation of the doors is always tailored to the millimetre, optional handles with integrated lock or the standard MA 17 handle without lock are available as in the photo below.

Optional profiles reduce the gap between the door and the side walls.

The profile finish is coordinated with that of the door.




# OVERLAYABLE DOORS


with drag system

This optional sliding version allows the doors to overlap on one side only, in this way the passage size is exploited to the maximum.









### Crosspieces

To enrich the aesthetics of Easy-S, crosspieces made of extruded aluminum are available on request, applied on both sides of the glass.

The crosspieces dedicated to the Easy-S collection have a section of 12 x 12 mm horizontally and 10 x 10 mm vertically, they are positioned on both sides of the glass. The finish of the crosspieces is coordinated with the perimeter profiles of the door. Crossbars are not available for mirror doors.

For any customized compositions, ask for feasibility and prices at: commerciale@stainoestaino.it



















### Design Apartment

A large Easy-S sliding door with a special height of 360 cm in this project designed by the architects Mariella Corsi and Laura Bianchi of ARCHBCSTUDIO (www.archbcstudio.com)

# **Identity Project**

Easy-s sliding doors with crosspieces arranged based on a design by architects Lorenzo Cantini and Valentina Michelacci of Identity Design (www.ident itydesign-group.com).

#### City Home

Numerous doors from the Staino&Staino Easy-S and Revolution® collections were included in the renovation of an important city villa.

#### Habitat Project

Easy-S door with four sliding doors with matt black extruded aluminum profile and transparent glass. MA 17 handle, with finish coordinated with the profile. Door created for Habitat Immobiliare, Prato.
















#### EXTRA LIGHT 40.20

The Extra Light door in the **40.20** scheme is characterized by 20 mm crosspieces arranged on the glass every 40 mm.

The customer can choose both the profile finish and the glass finish, while the sliding system can be of the classic type with covering valance or recessed.

For customized compositions, ask for feasibility at: **commerciale@stainoestaino.it** 








### EXTRA LIGHT 20 20

transparency effect

The **20.20** scheme of the Extra Light door is characterized by the reduced spacing between the glass and the 20 mm aluminum crosspieces.

For customized compositions, ask for feasibility at:

commerciale@stainoestaino.it









#### EXTRA LIGHT WALL

Extra Light with the **Wall scheme** with 20 mm horizontal and 10 mm vertical crosspieces.

The result is a brick-effect composition proportionate to the size of the door.








## EXTRA LIGHT FACTORY

In the **Factory** scheme the 20 mm horizontal crosspieces are spaced 240 mm apart; the vertical ones are 10 mm.

Depending on the width, the door is equipped with one or two vertical crosspieces.








### EXTRA LIGHT INTERNAL WALL

two-panels sliding door

The Extra Light sliding door inside the wall can be set up for insertion in classic or flush-to-the-wall sliding boxes of any brand.

The door can be equipped with an extruded aluminum frame and architraves. The aluminum architraves are available in a wide range of finishes or can be made in a matt color as per sample.



Qu'est ce qui est le plu

Choisissey un travail

n'aurez pas à travailler







### TRANSPARENT ELEGANCE

Particularly light is the coupling of the glass doors with a polished edge, accompanied by joint profiles in transparent polycarbonate.

The fixing profiles for the all-glass doors are available in all the finishes foreseen for the Extra Light doors.



### Crosspieces


To enrich the aesthetics of Extra Light, crosspieces made of extruded aluminum are available on request, applied on both sides of the glass.

The crosspieces dedicated to the Extra Light collection have a section of 20 x 10 mm horizontally and 10 x 8 mm vertically, they are positioned on both sides of the glass. The finish of the crosspieces is coordinated with the perimeter profiles of the door. Crossbars are not available for mirror doors.


For any customized compositions, ask for feasibility and prices at: commerciale@stainoestaino.it



Without crosspieces








20 mm horizontal crosspieces spaced 240 mm apart. 10 mm 20 mm horizontal crosspieces.

The positioning of the crosspieces is adapted based on the size of the door ordered.

In both models, the first and last horizontal crosspieces are positioned to measure based on the height of the door.



#### Extra Light Loft

The Extra Light door in the 40.20 version is the protagonist of a project signed by designer Jacopo Cecchi.

www.jacopocecchi.com

#### Home Office

A project in the heart of Nice where Extra Light and Master doors were chosen for an elegant workspace.

#### Tuscany Home

The project of this villa involved the use of many Staino&Staino doors including Extra Light made with extra-clear sandblasted glass with DS decoration.

#### Data sheet

You can download the technical sheet dedicated to the Extra Light Collection from our website www.stainoestaino.it.










 $_{18}$  49





#### SLIDING MASTER DOOR



flush-fitting cassette system

The **Master sliding door inside the wall** can be set up for insertion in sliding cassette system that do not require the assembly of casings. Upon customer request, the company can supply both the door and the sliding subframe.





#### SLIDING MASTER DOOR



classic pocket cassette system

The Master internal wall sliding door can be set up for insertion into **classic sliding cassettes** of any brand, in this case the door is equipped with an **extruded aluminum frame and casing**.

The aluminum casing is available in a wide range of finishes, including matt sample colours.





## SLIDING MASTER DOOR



outside the wall

The external wall sliding Master door **is always made to measure** without feasibility limits.

The finish may be different between one side of the door and the other; among the wide range of glass available there are glasses decorated with DV photographic print which can be personalized with images and drawings upon customer request.



### Black & Blue

Doors from the Master, Glass and Versus collections in a prestigious project with customized finishes.



#### Tuscany Home

A project in the heart of Nice where Extra Light and Master doors were chosen for an elegant workspace.



## White Flat

Flush-to-the-wall internal doors from the Master collection with lacquered glass, combined with a recessed skirting board created specifically for this project.



#### Data sheet

You can download the technical sheet dedicated to the Master Collection from our website www.stainoestaino.it.



57





### PARTIAL DECORATION

on glass strips or portions

The DV13 decoration was created in the central part of the glass on a sandblasted base, this allows the passage of light and makes the design visible also from the internal side.

## GLASS WITH DOUBLE FINISH

on the oneside and on the other

The door from the Glass collection with mirror, upon request, can have a different finish between the two sides, for example the outside in mirror and the inside in lacquered glass.





#### DECORAZIONE SU VETRO SABBIATO


tecnologia digitale per decorare il cristallo

Il vetro viene decorato attraverso tre diverse lavorazioni. La prima fase consiste in una sabbiatura classica, seguita da una seconda fase in cui il vetro viene decorato utilizzando un moderno sistema di stampa digitale. Infine, un trattamento protettivo viene applicato sulla parte sabbiata del vetro, rendendo la superficie più facile da pulire.

Questa tecnologia permette la realizzazione di decorazioni sofisticate, con colori e disegni personalizzati. Il sistema utilizza vernici all'acqua che consentono il passaggio della luce.







### Black & Blue

Doors from the Master, Glass and Versus collections in a prestigious project with customized finishes..



### Villa in Tuscany

A villa in Tuscany, built and furnished according to the indications of the interior and lighting designer Gerardo Acciaioli by the A.D. company. design s.r.l. (addesignsrl.com).




Connect to our website www.stainoestaino.it to see the gallery of creations.


#### Data sheet


You can download the technical sheet dedicated to the Glass Collection from our website www.stainoestaino.it.















#### SLIDING SEGRETA-S

coplanar sliding system

The system includes a fixed and a sliding side door, the **fixed panel** becomes the wall behind which the **opening door slides.** 

In addition to the two panels (fixed + openable), Segreta-S is equipped with a special perimeter frame where, already in the factory, the sliding system is fixed, all specifically designed to guarantee the **best possible**flush-to-the-wall effect.





#### SLIDING SEGRETA




#### outside the wall

The **external wall** sliding door, made with 1 or more leaves, is always produced to measure up to 130 x 300 h cm. The doors can be supplied already lacquered or in a version to be painted.

The sliding track can be of the built-in type or in the classic version with covering valances.

Also for the sliding «Segreta», various types of optional handles are available such as the **MA 22 groove handle** model in the photo.





#### SLIDING SEGRETA




#### inside the wall

The Segreta door is available in an internal-wall sliding version and is compatible with all counterframe models on the market.

The company can supply the **complete door** and **counterframe kit**, or just the prepared door.

Internal sliding secret wall is equipped with recessed handles in satin chrome (as in the photo) or matt white; other types of handles are available on request.



# Coplanar sliding door

The Segreta invisible door is also available in the coplanar sliding version, made to measure to the millimeter in the one or two-leaf version.

## Buontalenti Palace

The historic Palace is renewed thanks to the project signed by MATTEINI + ASSOCIATES (www.matteiniassociates.com).


Numerous closures have been created with the Segreta and Segreta double flush-to-the-wall collections.

## Family House

A modern renovation according to the project of the architects Filippo Cambi and Petula Bolognesi. The type of products included is very varied: Segreta, Light, Master and Versus internal doors.

# Complete Catalogue

You can download the technical sheet dedicated to the Segreta Collection from our website www.stainoestaino.it.













## FLOOR TRACK

The floor track guarantees excellent protection from dust as well as supporting the weight of the doors which can thus be mounted without problems even in the case of false ceilings.


The sliding tracks can be recessed into either the floor or the ceiling.





## MA09 HANDLE





## Black & Blue

Doors from the Master, Glass and Versus collections in a prestigious project with customized finishes.



## City Home

Numerous doors from the Staino&Staino Easy-S, Versus and Revolution® collections were included in the renovation of an important city villa.



A modern renovation according to the project of the architects Filippo Cambi and Petula Bolognesi. The type of products included is very varied: Segreta, Light, Master and Versus internal doors.

## Villefranche Sur Mer

An important work inside a splendid villa that enjoys a fantastic view of the sea of the French Riviera. The most important and voluminous rooms have been closed with sliding doors from the Versus collection.











# RECTANGULAR HANDLES

**MA**17


The pair of MA-17 handles is available in all the finishes foreseen for the Easy-S or Extra Light door profile.


They are made from solid aluminium, with a height of 170 mm, and are supplied as standard with a sliding door.












83

## ALUMINUM HANDLES MA07

Pair of **MA-07** aluminum handles H 340 mm. Standard handle for the Glass and Versus collec-

Not available for 4-door Versus.


These handles require the elimination of the lock and the installation of a magnet on the stop.







# PAWL MA03

Pair of square recessed niches with latch. Satin or polished chrome privacy latch.





Standard niches. Satin or polished chrome



Niches with optional latch e door lock





## GROOVED HANDLES MA22

Magnetic closure and MA-22 groove handle: the simplest combination for the Segreta door.


Upon request it is possible to add a privacy closure or a lock with key.

Pair of handles 40x200 mm H






8 ]





**MA-25** handle machined from solid aluminium, finish coordinated with the door profiles.






# GROOVED HANDLES


**MA**23

Pair of 40 mm groove handles.

Possible combinations:

Pair of handles with long
MA-23 groove on both sides;
Pair of handles with long
MA-23 groove on the outside and short MA-22 groove on the inside.









## **ALUMINUM HANDLES**

### **MA**09


MA-09 handle machined from solid aluminium, finish coordinated with the door profiles. Standard handle for the Extra Light and Versus 4-door collection.












#### **OPTIONAL HANDLES:**



**MA05** 


**MA04** 


Handle machined from solid aluminum with integrated lock, includes privacy latch. It is supplied in a finish coordinated with the perimeter profiles of the door.

The privacy latch is available in satin chrome, polished chrome or matt white or black lacquered finish.

Available only on tempered glass.

The use of the wall upright to match the lock is mandatory.








MA06

Ring with MA-20 through hole with 40 mm diameter for sliding doors from the Extra Light, Easy-S and Glass Collections.

Available only on tempered glass.









# MAGIC SLIDING SYSTEM

Invisible opening system


Invisible sliding system with wall attachment.


The **Magic sliding system** also uses lower wheels on the floor, for this feature it is necessary to use this system in the presence of smooth floors without joints such as, for example, parquet or resin.






#### FREE PASSAGE FROM THE DOOR








#### PASSAGE WITH DOOR IN 12CM SPAN






#### STAINO&STAINO SLIDING SYSTEMS TYPOLOGIES:

For personalized feasibility requests write to:

#### commerciale@stainoestino.com




Adjustable builtin tracks




Sliding door with single track, wall or ceiling attachment.




Double door with single track, wall or ceiling attachment.






Double door, two-way sliding track with ceiling or wall attachment.




Double door, two-way sliding track with ceiling attachment.







Triple door, two-way sliding track with ceiling attachment.





Four-panel door, two-way sliding track with ceiling attachment.






Triple door, three-way sliding track with ceiling attachment.





Four-panel door, four-way sliding track with ceiling attachment.




<sup>\*</sup>examples of sliding openings based on the number of doors. It is possible, upon request, to create other types of opening.


## Sliding Easy-S door

#### **SLIDING DOOR**

The Easy-S sliding door is always made to measure with maximum dimensions of 130 x 300 h cm (net passage).


The Easy-S sliding door is equipped with a pair of MA-17 standard handles (figure below) on the external/internal side






#### WALL PROFILE FOR AIR REDUCTION


It is possible to install a 12 x 12 mm section profile on the wall to reduce the air between the door and the wall.





#### **SIDE JAMB**


Optional side jamb includes a closing striker of mm 10 x 10 added on the door's profile.



Both the side jamb and the central joint profile are made of extruded aluminum coordinated with the door.

#### **CENTRAL JOINT PROFILE**

Central joint profile for two-panels sliding door that includes a mm10x10 profile on the closing side of each panel.



The central joint profile allows you tu avoid the light between the door's panels.


## Sliding Extra Light door

#### **SLIDING DOOR**


The Extra Light sliding door is always made to measure with maximum dimensions of 130 x 300 h cm (net passage).

The Extra Light sliding door is equipped with a pair of MA-09 standard handles (figure below) on the external/internal side.

Rollers with soft stop on closing and soft stop on opening: standard.





#### Handle type MA09



#### WALL PROFILE FOR AIR REDUCTION


It is possible to install a 12 x 12 mm section profile on the wall to reduce the air between the door and the wall.






#### **VERTICAL SIDE JAMB**

Optional vertical side jam sized mm 55 x 40, mandatory for matching the hook lock.



added on the door's profile.

Optional side jamb includes a closing striker of mm 10 x 10



Both the side jamb and the central joint profile are made of extruded aluminum coordinated with the door.

This profile allows you tu avoid the light between the door's panels.


## Sliding Glass door

#### **SLIDING DOOR**


The Glass sliding door is always made to measure with maximum dimensions of 130 x 300 h cm (net passage).

The Glass sliding door is equipped with a pair of MA-07 standard handles (figure below) on the external/internal side.

Rollers with soft stop on closing and soft stop on opening: standard.



#### Handle type MA07





#### **VERTICAL SIDE JAMB**


Optional vertical side jam sized mm 55 x 40, mandatory for matching the hook lock.

Wall side jambs made of satin silver aluminum.

Transparent strike seal to be glued onto the thickness of the glass








#### SLIDING TRACK WITH VISIBLE MECHANICS


Satin-finish AISI 304 stainless steel sliding system consisting of two carriages and a round-section track with visible studs. Available with a one-way track and wall mounting. This system is only suitable for use with tempered glass. A soft-closing option is not available for this system



## SLIDING TRACK WITH VISIBLE ALUMINUM CLAMPS

The sliding system with visible clamps is available with a one-way track and wall mounting, the standard finish is satin silver aluminum, and a closing damper is included in the price.

This system is only suitable for use with tempered glass.




101

## Sliding Master door


#### **SLIDING DOOR OUTSIDE THE WALL**

The Master sliding door is always made to measure with maximum dimensions of 130 x 300 h cm (net passage).


The Master sliding door is equipped with a pair of MA-03 standard handles (figure below) on the external/internal side




#### Handle type MA03



## MASTER SLIDING IN-WALL SYSTEM FOR CLASSIC CASINGS





## MASTER SLIDING IN-WALL SYSTEM FOR FLUSH-MOUNTED CASINGS



#### WALL PROFILE FOR AIR REDUCTION


It is possible to install a 20 x 10 mm section profile on the wall to reduce the air between the door and the wall.






#### VERTICAL SIDE JAMB

Optional vertical side jam sized mm 55 x 40, mandatory for matching the hook lock.



The side jamb is made of extruded aluminum coordinated with the door.

Optional side jamb includes a closing striker of mm 10 x 10 added on the door's profile.




This profile allows you tu avoid the light between the door's panels.

## Sliding door Segreta

#### **SLIDING DOOR OUTSIDE THE WALL**


The Segreta sliding door is always made to measure Rollers with soft stop on closing and soft stop on opewith maximum dimensions of 90 x 220 h cm (net pas-ning: standard. sage).



#### Handle type MA03








With privacy knob


#### WALL PROFILE FOR AIR REDUCTION

It is possible to install a 20 x 10 mm section profile on the wall to reduce the air between the door and the wall.




#### **VERTICAL SIDE JAMB**

Optional vertical side jam sized mm 55 x 40, mandatory for matching the hook lock.



Both the side jamb and the central joint profile are made of extruded aluminum coordinated with the door.

Optional side jamb includes a closing striker of mm 10 x 10 added on the door's profile.




This profile allows you tu avoid the light between the door's panels.

## Coplanar sliding Segreta-S door

The system remains perfectly flush with the wall on the external side while, on the internal side, the covering valance and the aluminum trolley covers remain visible. Also visible from the internal side is the particular door guide in the lower part; this is to guarantee correct functioning and a certain ease of intervention for any future maintenance of the product.

Given the aesthetic characteristics of formal cleanliness of the external side and the technical characteristics visible from the internal side, we recommend using the Segreta-S coplanar sliding door to close those compartments where aesthetic formality is necessary on only one side such as, for example, the closing a pantry or wardrobe compartment.





#### **SKIRTING BOARD DETAIL**



door opening's operating video **Segreta-S** 







Anta mobile
INTERIOR

Anta fissa


EXTERIOR

Sliding closure composed of a fixed panel and an opening panel made of reinforced honeycomb covered in MDF.


Perimeter frame in extruded aluminum to be finished flush with the wall, two-way sliding system, adjustable trolleys, movable internal valance and particular adjustable door guide visible from the internal side.

## Versus System


#### **2 PANELS SLIDING VERSUS CLOSET**




#### **3 PANELS SLIDING VERSUS CLOSET**




#### **4 PANELS SLIDING VERSUS CLOSET**












































PA01 Satin silver



PA02 Matt white



PA03 Matt black



**CR01** Transparent



CR**02** 



CR03 Milky white



PA05 Bronze




PA07 White oak




PA09 Corten




Smoked transparent




CR06




Etched extra-clear




PA11
Dark bronze new



PA13
Sandblasted iron grey




CR08 CR09
Etched bronze Transparent bronze



**CR10**Reflective smoked glass



**CR11**Bronze reflective glass





CL01 CL02
Bordeaux Orange



CL03 CL04 Extra-clear white Black



CL05 CL06
Antracite Silver



CL07 CL08

Beige Pink grey 2005



CL**09** CL**10**Metropoli black Nervuré balck




**CL11**Metallized bronze




CL12 Satin extra-clear white



CL13
British grey 7011




CL14 CL15
Cappuccino Cappuccino 1019
1019 satin




CR16 CL17
Green Army
7002 Green Army
7002 satin




CR18 CL19
Miami Green Miami Green 6027
6027 satin



CL20 CL21
Visone 7006 Visone satin7006



CL22 CL23
J.P.Blue Satin J.P.Blue



SP**01** Normal



SP02 Bronze



SP03 Smoked




SP05 Nervuré sating silver



SP06 SP08

Nervuré satin Metropoli satin
bronze bronze





**EL01** Natural Oak



EL03 Natural Oak/dry saw-cut effect



**EL11**Whitened Oak



**EL12** Grey Oak



**EL13** Dark Oak



EL05 Natural Canaletto Walnut



ELO6

Natural Canaletto Walnut saw-cut effect




EL10 Natural Canaletto Walnut/ dry saw-cut effect



**EL08**Natural Mahogany



Natural Mahogany/dry saw-cut effect



RAL
Wood essence of choice\*

## Online catalogue

download it on our website www.stainoestaino.it



**Doors** 

Hinged and pivot doors



Download the Catalogue



**Sliding Doors** 

Sliding doors and systems



Download the Catalogue



Segreta

Invisible flush-to-the-wall doors



Download the Catalogue

## Online data sheet

download it on our website www.stainoestaino.it



**Easy-S** 

Sliding and pivot doors with thin section profile

Download the



Extra Light

Minimal hinged, pivot and sliding doors



Download the Scheda tecnica



iDoor<sup>®</sup>

Flush-to-the-wall door with rounded edges



Download the Scheda tecnica



#### **Revolution**<sup>©</sup>

Continuous casing doors



Download the Scheda tecnica



#### Master

Glass lacquered doors



Download the Scheda tecnica



#### Glass

All-glass doors



Download the Scheda tecnica

Staino&Staino srl | Via Danubio, 21/23/25 59100 Prato - Italy | Tel +39 0574 69 39 38 | Fax +39 0574 69 43 55 | www.stainoestaino.it amministrazione@stainoestaino.it commerciale@stainoestaino.it export@stainoestaino.it

STAINO & STAINO SrI is not responsible for any inaccuracies contained in this catalog due to printing errors or for any other reason. STAINO & STAINO reserves the right to make changes to improve the products without notice. The prohibited reproduction without authorization, even partial, of the texts and images contained in this catalog is strictly prohibited by law.